

The **PRECISION** you
require with the
VERSATILITY you need
to be successful



Radiofrequency Energy Sources & Accessory Products



Dermatology
Ear, Nose, and Throat (ENT)
Facial Plastic
General Surgery
Gynecology
Ophthalmology / Oculoplastics
Oral / Maxillofacial Surgery
Plastic Reconstructive
Primary Care
Podiatry
Proctology

ellman[®]

Experts in Precision Surgery.

Established in 1959

Radiosurgical Energy Sources	4
Five Distinct Waveforms	4
Pellevé™ S5	5
Surgitron® 4.0 MHz Dual RF™ S5	6
Surgitron® Dual RF™	7
AcuSect™	8
Surgitron® FFPF EMC	8
Radiosurgical Accessories	9
Neutral Plates	9
Footswitches	10
Cables	11
Surg-e-Doc™	12
EMC Device Accessories	13
Handpieces	15
Bipolar Forceps	17
Bayonet Bipolar Forceps	19
ACe-Tip™ Non-Stick Forceps	20
RF Electrodes	22
Sterile/Single-Use Electrodes	23
Empire® microIncision™ Needles	24
Reusable Electrodes	26
ACe-Tip™ Electrodes	31
Reusable Electrode/ACe-Tip™ Sets	32
Electrode Accessories	34
Educational Materials	35
Compact Discs	35
Patient Education Brochures	35
Textbooks	35
Smoke Evacuation System	36
Accessories	37
Multi Specialty Accessories	38
Otorhinolaryngology (ENT)	39
General Surgery/Proctology	46
Gynecology	47
Plastic Surgery	49
Dermatology	51
Pellevé™ Wrinkle Reduction System	52
Ophthalmology/Oculoplastics	53
Family Practice/Podiatry	55
Index	58



RADIOSURGICAL ENERGY SOURCES

5 Distinct Waveforms

1


Fully Filtered (Cut)



- Micro-smooth cutting
- Negligible lateral heat
- Minimal cellular destruction
- Best cosmetic results. Fastest healing^{1,2}.
- Ideal for skin incision and biopsy
- 4.0 MHz

2


Fully Rectified (Cut/Coag)



- Cutting with hemostasis
- Ideal for sub-cutaneous tissue dissection and planing. Especially useful in vascular areas while producing minimal amounts of lateral heat and tissue damage
- 4.0 MHz

3


Partially Rectified (Hemo)



- Coagulation / Shrinkage
- Hemostasis with controlled penetration
- Ideal for cutting with hemostatic control
- 4.0 MHz

4

Fulguration




- Maximum penetration and hemostasis
- Ideal for intentional tissue destruction
- 4.0 MHz

5


Bipolar

- Pinpoint, micro-coagulation
- Minimal tissue adherence to forceps
- Minimal charring or tissue necrosis
- Ideal for coagulation in and around critical anatomy
- 1.7 MHz



ellman's radiofrequency technology has received worldwide acclaim and recognition from leading surgeons, clinics, universities and authors.

TRANSMISSION ELECTRON MICROSCOPY SHOWING LATERAL THERMAL DAMAGE ON HUMAN OVIDUCTS BY DIFFERENT INSTRUMENTS



Reference - Oilvar, AC, et al, Ann Clin Lab Sci. 1999 Oct-Dec; 29(4): p281-5.

The ellman® radiowave energy source represents advanced radiowave technology that provides outstanding surgical control, precision and versatility. Clinical benefits include reduced post-operative discomfort, minimal scar tissue formation, enhanced healing and excellent cosmetic results.

Clinical Citations

1. Bridenstine, J.B., Derm Surgery (1998); vol 24, p397-400
2. Aferzon, M. Derm Surgery (2002); vol 28, p735-738

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RADIOSURGICAL ENERGY SOURCES

Pellevé™ S5



Pellevé™ S5 RF Energy Source

Versatility with the proven Surgitron® platform

The Pellevé™ S5 System is a new Pellevé-branded version of our proven Surgitron® Dual RF™ S5, providing maximum control in precision cutting and energy delivery, plus more versatility than other energy-based technologies, including:

- New GlideSafe™ Wrinkle Treatment Handpieces for skin tightening (see page 52)
- Hundreds of surgical electrodes and accessories for most specialties
- Ideal for office and clinic environments

Powered by advanced radiowave technology, the patented Pellevé™ S5 energy source provides unparalleled surgical PRECISION in soft tissue cutting and coagulation. The high frequency of 4.0 MHz minimizes thermal tissue damage along the incision path.

The S5 offers complete VERSATILITY, with more options for use in surgical and aesthetic procedures than other energy-based platforms and includes the Pellevé™ Wrinkle Reduction System, a revolutionary tool for the non-ablative treatment of mild to moderate facial wrinkles.

The patented Pellevé™ S5 redefines your surgical results with two distinct frequencies – 4.0 MHz (Monopolar) and 1.7 MHz (Bipolar) – for outstanding precision and control. The Pellevé™ S5 and Surgitron® Dual RF™ S5 are the only Ellman energy sources compatible with GlideSafe™ Wrinkle Treatment Handpieces.

See page 36 for Cart and Accessories
See page 52 for GlideSafe™ Handpieces

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

Pelleve S5 RF Energy Source

*Item # IEC5P-ST

Shipped complete with:

*IEC-PC110 (for 110v) power cord

*IEC-PC220 (for 220v) power cord

DF-FSC#	Dual Footswitch & Cable
IEC-HP1	IEC Foot-Controlled Handpiece
IEC-3FHPB	IEC 3-Button Fingerswitch Handpiece
IEC-3FHPB/D1	Sterile/Single-Use 3-Button Fingerswitch Handpiece
IEC-BC/I	3-Bipolar Sterile/Single-Use Cables
IEC-NPD	IEC Neutral Plate
DSEP40	40 Medical Electrodes Assortment Package Sterile/Single-Use
H66	Electrode Protector Stand
H79	Handpiece Clip
“J” Series	Bipolar Forceps (Item number determined by selection) see page 14 & 15
DIM-92-53	Instruction Manual (USA)
DIM-92-54	Instruction Manual (International)

NOTE: Included accessories may vary by country and/or by special packages.

**(Specify voltage/country specific plug available
110-220V, EU, UA, ANZ)*

RADIOSURGICAL ENERGY SOURCES

Surgitron® 4.0 MHz Dual RF™ S5



Surgitron® 4.0 MHz Dual RF™ S5 RF Energy Source

Powered by advanced radiowave technology, the patented Surgitron® Dual RF™ S5 energy source provides unparalleled surgical PRECISION in soft tissue cutting and coagulation. The high frequency of 4.0 MHz minimizes thermal tissue damage along the incision path¹.

The S5 offers complete VERSATILITY, with more options for use in surgical and aesthetic procedures than other energy-based platforms,² and including Pellevé™ accessories, revolutionary tools for the non-ablative treatment of mild to moderate facial wrinkles.

The patented Surgitron® Dual RF™ S5 redefines your surgical results with two distinct frequencies – 4.0 MHz (Monopolar) and 1.7 MHz (Bipolar) – for outstanding precision and control.

The Surgitron® Dual RF™ S5 and the Pellevé™ S5 RF energy sources are the only Ellman energy sources compatible with Pellevé™ and GlideSafe™ Wrinkle Treatment Handpieces.

See page 36 for Cart and Accessories
See page 52 for GlideSafe™ Handpieces

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

Surgitron® 4.0 MHz
Dual RF™ S5 - IEC5

*Item # IEC5-S30

Shipped complete with:

*IEC-PC110 (for 110v) power cord

*IEC-PC220 (for 220v) power cord

DF-FSC#	Dual Footswitch & Cable
IEC-HP1	IEC Foot-Controlled Handpiece
IEC-3FHPB	IEC 3-Button Fingerswitch Handpiece
IEC-3FHPB/D1	Sterile/Single-Use 3-Button Fingerswitch Handpiece
IEC-BC/I	3-Bipolar Sterile/Single-Use Cables
IEC-NPD	IEC Neutral Plate
DSEP40	40 Medical Electrodes Assortment Package Sterile/Single-Use
H66	Electrode Protector Stand
H79	Handpiece Clip
"J" Series	Bipolar Forceps (Item number determined by selection) see page 14 & 15
DIM-50-48	Instruction Manual (USA)
DIM-92-52	Instruction Manual (International)

NOTE: Included accessories may vary by country and/or by special packages.

**(Specify voltage/country specific plug available
110-220V, EU, UA, ANZ)*

RADIOSURGICAL ENERGY SOURCES

Surgitron® Dual RF™



Surgitron® Dual RF™ RF Energy Source

The patented Surgitron® Dual RF™ generator for those doctors wanting to perform advanced surgical procedures, but are not interested in wrinkle treatment. The high frequency of 4.0 MHz minimizes heat dissipation and thus cellular alteration. The system generates 120 watts of power and operates at 4.0 MHz in a monopolar mode and 1.7 MHz in bipolar mode.

Surgitron® 4.0 MHz
Dual RF™/120 IEC

***Item # IEC3A-S30**

Shipped complete with:

*IEC-PC110 (for 110v) power cord

*IEC-PC220 (for 220v) power cord

DF-FSC# Dual Footswitch
& Cable

IEC-HP1 IEC Foot-Controlled
Handpiece

IEC-3FHPB IEC 3-Button
Fingerswitch
Handpiece

IEC-3FHPB/D1 Sterile/Single-Use
3-Button Fingerswitch
Handpiece

IEC-BC/I 3-Bipolar
Sterile/Single-Use
Cables

IEC-NPC IEC Neutral Plate
DSEP40 40 Medical Electrodes
Assortment Package
Sterile/Single-Use

H66 Electrode Protector
Stand

H79 Handpiece Clip

VCD/PC5IEC3 Instructional CD ROM
"J" Series Bipolar Forceps (Item
number determined
by selection) see page
14 & 15

DIM-92-51 Instruction Manual
(USA)

DIM-92-52 Instruction Manual
(International)

Size W x H x D
9" x 5" x 13"

Weight 18 lbs.


NOTE: Included accessories may vary
by country and/or by special packages.

**(Specify voltage/country specific
plug available
110-220V, EU, UA, ANZ)*

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RADIOSURGICAL ENERGY SOURCES

AcuSect™



AcuSect™ RF Energy Source

The AcuSect™ radiosurgical energy source delivers advanced radiowave technology providing outstanding surgical control, precision and versatility. The high frequency of 4.0 MHz minimizes heat dissipation, and thus cellular alteration, while cutting and coagulating soft tissues. AcuSect™ is the ideal solution for your office-based minor surgical procedures. The system generates 50 watts of power and operates at 4.0 MHz in 3 monopolar modes (Cut/Cut-Coag/Hemo) and 1 bipolar mode (Hemo).

Surgitron® FFPF EMC



Surgitron® FFPF EMC RF Energy Source

The **ellman**® Surgitron® FFPF EMC cuts and coagulates soft tissue using monopolar energy. This system generates 90 watts of power and operates at 3.8 MHz

AcuSect™ Generator

*Item # ACS-S50/110

Shipped complete with:

FTSW-2PC	Footswitch 2 Pedal Compact
IEC-1FHFA	One-Button Fingerswitch HP
IEC-HP1	Foot-Controlled Handpiece
IEC-NPC	Neutral Plate
IEC-BC/1	Minor Surgery Bipolar Cable (3pcs)
“J” Series	Bipolar Forceps (Item number determined by selection) see page 14 & 15
DSEP40	Medical Electrode Assortment

NOTE: Included accessories may vary by country and/or by special packages.

Patented Surgitron® FFPF EMC Device

*Item # EMC 110A (for 110v) Power Cord

*Item # EMC 220A (for 220v) Power Cord

Shipped complete with:

HP1	Foot-Controlled Handpiece with Locking Chuck
H4	EMC Neutral Plate
*PC	EMC Power Cord
DSEP40	40 Medical Electrode Assortment Package Sterile/Single-Use
EMCL1	Operating Manual
H79	Handpiece Clip
DVD/EMC1	Instructional Video

NOTE: Included accessories may vary by country and/or by special packages.

**(Specify voltage/country specific plug available
110-220V, EU, UA, ANZ)*

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

Neutral Plates

IEC Neutral Plate

IEC-NPC

Reusable, coated
For Dual RF™ and Radiolase® Devices
(1 pc)




With the **ellman**®
Reusable Neutral Plate,
no skin contact required.

IEC Disposable Neutral Plate-Standard Size

IEC-NPD

Single-Use
For Dual RF™ and Radiolase® Devices
(25 pcs)



IEC Disposable Neutral Plate-Small Size

IEC-NPD-S

Single-Use
For Dual RF™ and Radiolase® Devices
(25 pcs)



EMC Neutral Plate

H4

Reusable, coated
For the EMC Device
(1 pc)



The **ellman**® Single-Use Neutral Plate is a sensing, pre-gelled, self-adhering, dispersive pad. The effective electrodes are two aluminum oil conductors, covered by a hydrogel conductive adhesive. The conductive hydrogel provides a low-current density return path from the patient to the RF Device while the two foils provide a means of sensing contact quality.

Footswitches

Dual Frequency Footswitch and Cable

DF-FSC#

For Surgitron® Dual RF™ and S5 Devices
(1 pc)



Single-Action Bipolar Footswitch and Cable

DF-FSC/3

For Surgitron® Dual RF™ Device
(1 pc)



Radiolase I Footswitch and Cable

RL-FSC

For Surgitron® Radiolase® I Device
(1 pc)



Footswitch, 2 Pedal, Compact

FTSW-2PC

For AcuSect™ and Surgitron® Radiolase® II Devices
(1 pc)



Pneumatic Footswitch

SVFSC

For use with Surg-e-Vac™
Smoke Evacuation System
(1 pc)



RADIOSURGICAL ACCESSORIES


Cables

Bipolar Cable

IEC-JX/B

Reusable

For use with Surgitron® Dual RF™ or Radiolase® II Devices (1 pc)



IEC-BC

Sterile/Single-Use

Minor Surgery Bipolar cable

For use with Surgitron® Dual RF™ or Radiolase® Devices (5 pcs)



JX/E

Reusable

For use with EMC Device (1 pc)



Quick-Connect™ Cable

For use with SurgiPen™ Suction Tonsil and Suction Adenoid Probes, Disposable Suction Coagulator, Mono Stan RF Forceps, Rodin™ Micro Surgery handpiece, Micro Fibre® Electrode.

IEC-SP020

Reusable

For use with Surgitron® Dual RF™ or Radiolase® II Device (1 pc)



SP020

Reusable

For use with EMC Device (1 pc)



Snare Cable

For use with Polyp Snare™

IEC-H7B

Reusable

For use with Surgitron® Dual RF™ or Radiolase® II Device (1 pc)



H7B

Reusable

For use with EMC Device (1 pc)



Lap/Endo Monopolar Cable

IEC-UC

Reusable

For use with Surgitron® Dual RF™ or Radiolase® II Device (1 pc)

Monopolar cable for Endoscopic instruments




For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RADIOSURGICAL ACCESSORIES

Surg-e-Doc™

Surg-e-Doc™ shown with Surgitron® Dual RF™



Surg-e-Doc™ SDS30

The Surg-e-Doc™ offers the following advantages:

Extra Monopolar port

The Surg-e-Doc™ offers the ability to utilize an extra monopolar port. This added versatility eliminates the need to change monopolar electrodes within the same handpiece during a procedure.

Simultaneous activation of Surg-e-Vac™

The Surg-e-Doc™ extends the life of the vacuum unit by automatically activating the Surg-e-Vac™ only when the RF energy source is activated. Moreover, the Surg-e-Vac™ will continue vacuuming for 5 seconds after the RF energy source is deactivated. This allows for automatic removal of residual plume.

Less Clutter

The Surg-e-Doc™ eliminates the need for separate footswitch activation of Surg-e-Vac™. This reduces clutter since the only footswitch needed is that of the RF energy source.

RADIOSURGICAL ACCESSORIES


Adapters for Surgitron® EMC

Universal Fingerswitch Adapter

EMCKA

Reusable

For use with EMC Device, handpiece not included
(1 pc)



Patented 1-Button Fingerswitch Handpiece with Locking Chuck

XK01

Reusable

For use with EMC Universal Fingerswitch Adapter
(2 pcs)



The **ellman**® Universal Fingerswitch Adapter plugs into the side of your Surgitron® FFPF EMC. The adaptor eliminates the need for a foot pedal. The standard foot-controlled handpiece is still operational.



EMC Universal Fingerswitch Plug

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RADIOSURGICAL ACCESSORIES

For Surgitron® EMC

EMC Steri Caps™

EMCH35

Reusable
Steri Cap™ (3 for large dial and
3 for small dial) for use with
EMC only, 3-Blue and 3-Black
(6 pcs)



Patented Bipolar Converter

EMCH95A

For use with EMC Device
(1 pc)



Bipolar Converter Steri Caps™

H96


Caps for activation switch
for use with Bipolar Converter
(3 pcs)



Wall Bracket

HH

Wall Bracket with hardware.
For use with EMC only
Swivel arm and
swivel plate.
(1 pc)



Steri Caps™ enable you to control in total sterility with autoclavable protective dial covers.

The Bipolar Converter provides the surgeon the convenience of switching the **ellman**® Surgitron® EMC from the Handpiece in monopolar mode to the Bipolar Forceps mode with the simple flick of a switch. This eliminates the need to plug and unplug the cords during surgery.

The Wall Bracket space saving accessory attaches easily to any vertical surface. The **ellman**® Wall Bracket will support up to 40 lbs. and is ideal for the Surgitron® EMC.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RADIOSURGICAL ACCESSORIES

Handpieces



Patented 3-Button Fingerswitch Handpiece with Locking Chuck

IEC-X3FHPB

Reusable (2 pcs)
Accepts 1/16" and 3/32" Shaft Electrodes
For Surgitron® Dual RF™



Patented Sterile 3-Button Fingerswitch Handpiece with Locking Chuck

IEC-3FHPB/D

Sterile/Single-Use (10 pcs)
Accepts 1/16" and 3/32" Shaft Electrodes
For Surgitron® Dual RF™



Patented 3-Button Fingerswitch Blade Handpiece with Locking Chuck

IEC-XBHP3

Reusable (2 pcs)
Accepts Sterile/Single-Use Blades (assorted surgical blades including #10, and #15)
and 1/16" Electrode
For Surgitron® Dual RF™



Patented 1-Button Fingerswitch Handpiece with Locking Chuck

XK01

Reusable (2 pcs)
Accepts 1/16" and 3/32" Shaft Electrodes
For Surgitron® EMC Device

The **ellman**® handpiece is ergonomically designed to fit comfortably in your hand therefore maximizing productivity by reducing operator fatigue and discomfort.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RADIOSURGICAL ACCESSORIES

Handpieces



Patented 1 Button Fingerswitch Handpiece

IEC-X1FHPA

Reusable (2 pcs)
Accepts 1/16" and 3/32" shaft electrodes
One button fingerswitch handpiece for Radiolase® Devices



microInsulated Needle Handpiece with Locking Chuck

IEC-XH136 – For Surgitron® 4.0 Dual RF™ and Radiolase® II Devices (2 pcs)

XH136 – For Surgitron® EMC Device (2 pcs)

Reusable (1 pc). Smaller orifice for insertion of **ellman®** microInsulated needles only
Included in Cosmetic Treatment package



Blade Handpiece with Locking Chuck

IEC-H15 – Accepts 1/16" Shaft. For Surgitron® Dual RF™ and Radiolase® Devices

H15 – Accepts 1/16" Shaft. For Surgitron® EMC Device

IEC-QH15 – Accepts 3/32" Shaft. For Surgitron® Dual RF

QH15 – Accepts 3/32" Shaft. For Surgitron® EMC

Reusable (1 pcs). Foot Pedal activation
For use with assorted surgical blades including #10, and #15



Foot-Controlled Handpiece with Locking Chuck

IEC-XHP1 – For Surgitron® Dual RF™ and Radiolase® Devices

XHP1 – For Surgitron® EMC Device

Reusable (2 pcs). Accepts 1/16" and 3/32" shaft



Rodin® Microsurgery Handpiece


XRHP – Length (3.895") 98.93mm, Width (.460") 11.68mm

Reusable (2 pcs). To be used with IEC Quick-Connect™ Cable
Accepts 1/16" Shaft. For Surgitron® Dual RF™ and Radiolase® Devices
(See page 11 for Quick-Connect™ Cable, Cat. No. IEC-SP020)
(See page 33 for Rodin™ Microsurgery ACe-Tip™ Electrode Set, Cat. No. RACE7)

RODIN® 1

Rodin® RF Microsurgery Set

One RHP Rodin® Microsurgery Handpiece, one IEC-SP020 Quick-Connect™ Cable, one RACE7 Rodin® Microsurgery ACe-Tip™ Set, and instructions for use.



Surgitron® EMC
(Monopolar)



Surgitron® Dual RF™ and
Radiolase® (Monopolar)

Separate plugs are used in accordance with the corresponding device, the Surgitron® Dual RF™, Radiolase® and the Surgitron® EMC.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RADIOSURGICAL ACCESSORIES

Bipolar Forceps



J1 Length 9.5cm, 0.4mm, Straight Tip



J1B Length 9.5cm, 0.4mm, Bent Tip



J2 Length 9.5cm, 0.3mm, Curved Flat/Angled Tip



J3 Length 7.8cm, 0.4mm, Angled Tip



J4 Length 7.8cm, 0.3mm, Straight Tip




J5 Length 9.2cm, 0.3mm, Bent Tip



J8 Length 16.3cm, 1.0mm, Straight Tip

ellman® Bipolar Forceps provide clean wet-field coagulation.



RADIOSURGICAL ACCESSORIES

Bipolar Forceps



J9 Length 16.2cm, 1.0mm, Straight Tip



J10 Length 16.2cm, 2.0mm, Straight Tip



J11 Length 12.2cm, 0.4mm, Straight Tip




J12 Length 10.9cm, 1.0mm, Straight Tip




J14 Length 10.8cm, 0.7mm, Straight Tip



J19 Length 13.6cm, 2.0mm, Straight Tip



EMC Bipolar Cord
(see page 8)



Surgitron® Dual RF™ and
Radiolase® Bipolar Cord
(see page 8)

RADIOSURGICAL ACCESSORIES

Bayonet Bipolar Forceps




J7 Length 17.3cm, Tip Wide 1.0mm, Bayonet, Flat Tip

J7U Length 17.3cm, Tip Wide 1.0mm, Bayonet, 45° Up, Flat Tip


J7D Length 17.3cm, Tip Wide 1.0mm, Bayonet, 45° Down Flat Tip



J13 Length 15.6cm, Tip Wide 1.0mm, Bayonet, non-stick epistaxis, Serrated Tip



J17 Length 17.9cm, Tip Wide 1.0mm, Bayonet, external tip insulated




J18 Length 16.9cm, Tip Wide 0.5mm, Bayonet



J20 Length 16.6cm, Tip Wide 2.0mm, Bayonet



J21 Length 19.7cm, Tip Wide 1.0mm, Bayonet




ellman® Bayonet Bipolar Forceps enhance access to the surgical environment for increased visibility during radiosurgical procedures.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RADIOSURGICAL ACCESSORIES

ACe-Tip™ Non-Stick Forceps


Featuring Advanced Composition Alloy “Non-Stick”, Low Temperature



Magnified view

ACBF-010


Length (3.5"), 8.89cm, 0.5mm, Straight



Magnified view

ACBF-011


Length (3.5"), 8.89cm, 0.5mm, Bent



Magnified view

ACBF-012


Length (4.5"), 11.43cm, 0.5mm, Straight



Magnified view

ACBF-013

Length (5.5"), 14.00cm, 0.5mm, Straight



Magnified view

ACBF-014

Length (6.25"), 15.88cm, 1.0mm, Straight



ACe-Tip™ Technology
Advantages:*

- Minimal adherence of tissue
- Low absorption
- Tissue preservation




For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

*Data on file.
FDA Submission Packet
510 (k) K071343

RADIOSURGICAL ACCESSORIES

ACe-Tip™ Non-Stick Forceps


Featuring Advanced Composition Alloy “Non-Stick”, Low Temperature



Magnified view




ACBF-015 Length (7.0”), 17.18cm, 0.7mm, Straight



Magnified view




ACBF-016 Length (7.0”), 17.18cm, 1.2mm, Straight



Magnified view




ACBF-017 Length (7.0”), 17.18cm, 1.5mm, Straight



Magnified view





ACBF-021 Length (6.5”), 16.51cm, 1.0mm, Bayonet, Serrated Tip



Magnified view






ACBF-022 Length (7.25”), 18.52cm, 1.0mm, Bayonet




ACe-Tip™ Non-Stick Bipolar Forceps clinical photos

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

Electrodes



Proximal Shaft Diameter








- Super Fine** - Used when minimal tissue alteration is desired (Diam. 0.005")
- Fine** - Used when less tissue alteration is desired (Diam. 0.007")
- Regular** - Used to produce more coagulation (Diam. 0.009")

Proximal shaft diameter is available in 3/32" or 1/16" (2.4mm or 1.6mm) to accommodate standard handpiece connection.

ABOUT ellman® Electrodes:

The insulated shaft of most electrodes can be bent or contoured for all surgical procedures.
 (Note: Empire microlncision™ Sterile Needles are not bendable)

-  **Yellow** electrode tips are Sterile/Single-Use disposables
 -  **Blue** electrode tips are re-usable
 -  **Orange** electrode tips are re-usable
 -  **Purple** electrode tips are re-usable
 -  **White** electrode tips are a mixture of re-usable and disposable.
- See product catalog for details

INFORMATION Regarding Ordering Electrodes:

Code To Electrode Suffixes:

- B- Bendable
- D- Disposable (Sterile/Single-Use)

Code To Electrode Prefixes:

- T- Package of (2 pcs)
- X- Package of (5 pcs) {Not all items available in 5-packs}

Most electrodes are available in 1/16" or 3/32" shaft sizes.
 Use "Q" as a prefix when ordering 3/32" shaft size, i.e. QTA8B
 Longer electrode shaft sizes may be available.
 Contact **ellman's** sales representatives for more details.

RF ELECTRODES

Sterile/Single-Use

Medical Electrode Set

DSEP40

Sterile/Single-Use

Assortment of 8 styles, Sterile/Single-Use


RF electrodes, available in 1/16" Shaft Only (40 pcs)

Includes 5 of each electrode:

A2D, A8D, B1D, B2D, C3D, D8D, E3D, F1D

Sterile/Single-Use Electrodes

Available in 1/16" Shaft Only (25 pcs per pack)




The **ellman**® Sterile/Single-Use RF electrode eliminates the risk of cross contamination as well as ensuring consistent performance and patient confidence.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

Empire[®] microIncision[™] Needles

Empire microIncision[™] Needle Electrodes

Sterile/Single-Use, available in 1/16" or 3/32" (2 per pack)
Use "Q" as a prefix when ordering 3/32" shaft size



Magnified view for all Empire microIncision[™]



TEE301
Length 2cm, straight



TEE302
Length 3cm, straight



TEE303
Length 4cm, straight



TEE304
90° angle



TEE305
45° angle




TEE306
Length 3cm, 3mm 45° angle




TEE307
Length 2cm, 3mm 45° angle




TEE308 0.5cm needle,
Length (4"), 10.10cm, straight sleeve



TEE309 0.5cm needle,
Length (5"), 12.70cm, straight sleeve



TEE310 0.5cm needle,
Length (6"), 15.24cm, straight sleeve



TEE311 0.5cm needle,
Length (7"), 17.78cm, straight sleeve



TEE312 0.5cm needle,
Length (4"), 3mm 45° angle, straight sleeve



TEE313 0.5cm needle,
Length (5"), 3mm 45° angle, straight sleeve



TEE314 0.5cm needle,
Length (6"), 3mm 45° angle, straight sleeve



TEE315 0.5cm needle,
Length (7"), 3mm 45° angle, straight sleeve

The **ellman[®]** Empire[®] microIncision[™] Needle Electrodes deliver focused High Frequency Radiowave energy.

Empire[®] microIncision[™] Needle Electrodes are used for precise cutting and coagulation during radiosurgical procedures. Proximal shaft diameter is available in 3/32" or 1/16" (2.4mm or 1.6mm) to accommodate standard handpiece connection. Empire[®] microIncision[™] Needle Electrodes are supplied in individual sterile packages of two, are Single-Use and should not be re-sterilized.


RF ELECTRODES

Empire[®] microIncision[™] Needles

Empire microIncision[™] Needle Electrodes

Sterile/Single-Use, available in 1/16" or 3/32" (2 per pack)


Use "Q" as a prefix when ordering 3/32" shaft size



Magnified view
for all Empire
microIncision[™]




TEE316 0.5cm needle,
Length (4"), 10.16cm, 45° angle, straight sleeve




TEE317 0.5cm needle,
Length (5"), 12.70cm, 45° angle, straight sleeve



TEE318 0.5cm needle,
Length (6"), 15.24cm, 45° angle, straight sleeve




TEE319 0.5cm needle,
Length (7"), 17.78cm, 45° angle, straight sleeve




TEE320 0.5cm needle,
Length (4"), 10.16cm, curved sleeve



TEE321 0.5cm needle,
Length (5"), 12.70cm, curved sleeve



TEE322 0.5cm needle,
Length (6"), 15.24cm, curved sleeve




TEE323 0.5cm needle,
Length (7"), 17.78cm, curved sleeve




TEE324 Bayonet



TEE325 0.5cm needle,
Length (2"), 5.08cm, curved sleeve



TEE326 0.5cm needle,
Length (1"), 2.54cm,
40 degree curved sleeve




TEE327 0.5cm needle,
Length (3/4"), 1.91cm, straight



TEE328 0.5cm needle,
Length (1"), 2.54cm,
30 degree curved sleeve



Upper Lid Blepharoplasty



For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RF REUSABLE ELECTRODES

Reusable Electrodes

Needle Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



- TA1B** Length 3/8", Super Fine Wire
- TA2B** Length 3/8", Fine Wire
- TA9B** Length 3/8", Regular Wire
- TA3B** Length 3/8", Regular Needle
- TF1B** Length 1/2", Broad Needle
- TA8B** Vari-Tip™ Microdissection™ Needle (comes with additional wire and has an adjustable depth)
- T133B** Pin Electrode 1/8" Length

Round Loop Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



- TBBB** 5/32" Dia. Round Loop, Fine Wire
- TB1B** 1/4" Dia. Round Loop, Fine Wire
- TB4B** 1/4" Dia. Round Loop, Regular Wire
- TB9B** 19/64" Dia. Round Loop, Fine Wire
- TB10B** 19/64" Dia. Round Loop, Regular Wire
- TB2B** 3/8" Dia. Round Loop, Fine Wire
- TB5B** 3/8" Dia. Round Loop, Regular Wire
- TB3B** 1/2" Dia. Round Loop, Fine Wire
- TB6B** 1/2" Dia. Round Loop, Regular Wire

**Electrodes are displayed in actual size.*

Needle Electrodes are commonly used for incisions and excisions in precise surgical procedures.

Choice of Wire Gauge

Super Fine - Used when minimal tissue alteration is desired.

———— Fine - Used when less tissue alteration is desired.

———— Regular - Used to produce more coagulation.

Round Loop Electrodes are commonly used for shaving lesions, contouring tissue and obtaining biopsy specimens.

RF REUSABLE ELECTRODES

Reusable Electrodes

Diamond Loop Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TC1B 1/8" Diamond Loop, Fine Wire

TC4B 1/8" Diamond Loop, Regular Wire



TC3B 3/16" Diamond Loop, Fine Wire

TC6B 3/16" Diamond Loop, Regular Wire



TC17B 1/4" Diamond Loop, Fine Wire

TC18B 1/4" Diamond Loop, Regular Wire



TC19B 5/16" Diamond Loop, Fine Wire

TC20B 5/16" Diamond Loop, Regular Wire



TC21B 7/16" Diamond Loop, Fine Wire

TC22B 7/16" Diamond Loop, Regular Wire

Triangle Loop Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TC9B 5/32" Triangle Loop, Fine Wire

TC10B 5/32" Triangle Loop, Regular Wire



TC7B 1/4" Triangle Loop, Fine Wire

TC8B 1/4" Triangle Loop, Regular Wire



TC11B 19/64" Triangle Loop, Fine Wire

TC12B 19/64" Triangle Loop, Regular Wire



TC13B 3/8" Triangle Loop, Fine Wire

TC14B 3/8" Triangle Loop, Regular Wire



TC15B 1/2" Triangle Loop, Fine Wire

TC16B 1/2" Triangle Loop, Regular Wire

**Electrodes are displayed in actual size.*

Diamond Loop Electrodes are commonly used for one-stroke elliptical incisions.

Triangle Loop Electrodes are commonly used for shaving lesions and contouring tissue.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RF REUSABLE ELECTRODES

Reusable Electrodes

Ball Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TD3B 2mm Ball



TD8B 2.36mm Ball



TD9B 3.17mm Ball



TD10B 4.34mm Ball



TD11B 4.75mm Ball

Oval Loop Electrodes*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TP1B 5/32" Oval Loop, Fine Wire

TP2B 5/32" Oval Loop, Regular Wire



TP3B 1/4" Oval Loop, Fine Wire

TP4B 1/4" Oval Loop, Regular Wire



TP5B 19/64" Oval Loop, Fine Wire

TP6B 19/64" Oval Loop, Regular Wire



TP7B 3/8" Oval Loop, Fine Wire

TP8B 3/8" Oval Loop, Regular Wire



TP9B 1/2" Oval Loop, Fine Wire

TP10B 1/2" Oval Loop, Regular Wire

**Electrodes are displayed in actual size.*

Ball Electrodes are commonly used for coagulation.

Oval Loop Electrodes are commonly used for shaving lesions and contouring tissue.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RF REUSABLE ELECTRODES

Reusable Electrodes

Scalpel Electrode*

Reusable

1/16" shaft size or 3/32" (2 pcs)

Use "Q" as a prefix when ordering 3/32" shaft size



TE1B 3/16" Scalpel, 45° Angle



TE2B 3/8" Scalpel




TE3B 1" Scalpel

Empire® MicroTip Electrodes*

Reusable


2mm exposed tip (2 pcs, one of each)



TEE227 Empire MicroTip Needles
one .010 wire, one .020 wire
Insulated Coated Needle Set

Insulated Needle Electrodes™*

Reusable, 1/2mm exposed tip



Magnified view



D7 Insulated Coated Needle Set
(3 pcs)



D6A Fine Insulated Coated Needle
.004 Super Fine, White, (1 pc)



D6B Fine Insulated Coated Needle
.007 Fine, Purple, (1 pc)



D6C Fine Insulated Coated Needle
.009 Regular, Orange, (1 pc)

Rhinophyma Electrode Set

EE234 Set of 3

Reusable



EE233 19/64" Triangle Loop, (1 pc)

EE232 1/8" Triangle Loop, (1 pc)

EE231 1/2" Triangle Loop, (1 pc)

*Electrodes are displayed in actual size.

Scalpel Electrodes are commonly used for incisions and excision of tissue. The blade shape provides broader coagulation than a needle electrode.

Empire® MicroTip Needles are tapered and have a pinpoint design which produces micro-smooth cutting and coagulation while creating less tissue alteration.

Insulated Needle Electrodes are used for the treatment of Telangiectasia and for epilation.



Rhinophyma

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RF REUSABLE ELECTRODES

Reusable Electrodes

Javate Endoscopic DCR Electrodes*


R6 Javate Endoscopic DCR Set of 7 Assorted Electrodes



**Electrodes are displayed in actual size.*

Radiosurgical Mucotome Electrodes*

H140 Radiosurgical Mucotome Electrode Set of 1/16" Shaft Reusable
Set of 3 electrodes, includes H141, H142 & H143
Used for excision of mucosal strip



**Electrodes are displayed in actual size.*

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

RF REUSABLE ELECTRODES*

ACe-Tip™ Advanced Composition Alloy

TNAEE286 HLTZ Tonsillotomy Set of 3 ACe-Tip™ electrodes
Includes one each of: TNAEE284, TNAEE285, TNAEE287



TNAEE284 HLTZ Tonsillotomy, ACe-Tip™,
15mm Loop, .010 wire, 1/16" shaft (2 pcs)



TNAEE285 HLTZ Tonsillotomy, ACe-Tip™,
12mm Loop, .010 wire, 1/16" shaft (2 pcs)



TNAEE287 1cm Needle, 3" Curved Sleeve ACe-Tip™, 1/16" shaft (2 pcs)



TNAA9B 3/8" Length
ACe-Tip™ Regular Wire 1/16" shaft (2 pcs)



TNAD3B 2mm Coagulating Ball
ACe-Tip™ 1/16" shaft (2 pcs)



TNATB3B 3mm Tapered Ball
ACe-Tip™ 1/16" shaft (2 pcs)



TNAD13B 5mm Tapered Ball
ACe-Tip™ 1/16" shaft (2 pcs)



TNAB1B 1/4" Round Loop
ACe-Tip™ Fine Wire 1/16" shaft (2 pcs)



TNAB4B 1/4" Round Loop
ACe-Tip™ Regular Wire 1/16" shaft (2 pcs)



TNAB2B 3/8" Round Loop
ACe-Tip™ Fine Wire 1/16" shaft (2 pcs)



TNAB5B 3/8" Round Loop
ACe-Tip™ Regular Wire 1/16" shaft (2 pcs)



TNAA8B Vari-Tip™
ACe-Tip™ 1/16" shaft (2 pcs)



TNAEE305 Empire microIncision™
Needle ACe-Tip™ 1/16" shaft (2 pcs)



TNAEE330 Chedly Puctal Occlusion (CPO) Electrodes
Reusable set of two ACe-Tip™ Electrodes

ACe-Tip™ Technology Advantages:*

- Minimal adherence of tissue
- Low absorption
- Tissue preservation

The **ellman® ACe-Tip™** electrodes are designed to reduce resistance/impedance which causes less undesired lateral heat compared to tungsten steel electrodes.

A 45% reduction in the zone of hyalinization has been demonstrated.†

ACe-Tip™ electrodes glide smoothly through tissues and are excellent for sculpting and tissue shaping.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

*Data on file.
FDA Submission Packet
510 (k) K071343
†Porcine skin.

RF REUSABLE ELECTRODES

Reusable Electrodes Sets

Rodin® Microsurgery ACe-Tip™ Electrode Set

RACE7

Reusable

1.5" shaft length, 1/16" dia., Bendable Assortment (7 pcs)

Includes one each of:

TREE305, TRA2B, TRA8B, TRD3B, TRBBB, TRC3B, TRB1B



Rodin® Microsurgery Handpiece


Standard Electrode Set

S10B

Reusable

1/16" shaft size or 3/32" Use "Q" as a prefix when ordering 3/32" shaft size

Assortment (7 pcs) Includes one each of: C7B, B1B, C3B, A3B, D8B, F1B, A8B



Assorted Needle Electrode Set

XA

Includes one each of: A1, A2, A9, A3, F1 (5 pcs)



Assorted Round Loop Electrode Set

XB


Fine Wire

Includes one each of: B3, B2, B9, B1, BB

XBRB

Regular Wire

Includes one each of: B6, B5, B10, B4, BB (5 pcs)



For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

Reusable Electrodes Sets

Assorted Diamond Loop Electrode Set

XCFB

Fine Wire

Includes one each of: C21, C19, C17, C3, C1

XCRB Regular Wire

Includes one each of: C22, C20, C18, C6, C4
(5 pcs)



Assorted Ball Electrode Set

XD

Includes one each of: D11, D10, D9, D8, D3
(5 pcs)



Assorted Oval Loop Electrode Set

XPFB

Fine Wire

Includes one each of: P9, P7, P5, P3, P1

XPRB

Regular Wire

Includes one each of: P10, P8, P6, P4, P2
(5 pcs)



Assorted Triangle Loops Electrode Set

XTFB

Fine Wire

Includes one each of: C15, C13, C11, C9, C7

XTRB

Regular Wire

Includes one each of: C16, C14, C12, C10, C8
(5 pcs)



For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

Electrodes Accessories

Electrode Protector Stand™

H66

Electrode Protector Stand™

For regular 2" standard electrodes

Holds 12 electrodes, 6 1/16" x 6 3/32"

(1 pc)

H66A

Electrode Protector Stand™

For large 4" long electrodes

Holds 12 electrodes, 6 1/16" x 6 3/32"

(1 pc)



The **ellman®** Electrode Protector Stand™ protects your electrodes from damage and breakage during the sterilization process.

The **ellman®** Electrode Protector Stand™ will stand on any flat surface for easy identification and access to each electrode.

Electrode Block™

H1

Electrode Block™

Holds 18, 1/16" Electrodes

(1 pc)

H1A

Electrode Block™

Holds 9, 1/16" Electrodes and

9, 3/32" Electrodes

(1 pc)

QH1

Electrode Block™

Holds 18, 3/32" Electrodes

(1 pc)



EDUCATIONAL MATERIALS

Educational Accessories

Compact Discs
Oculoplastic Techniques
by Jay Justin Older, MD
VCD/OP31
2 Disk Set



At **ellman®** we are committed to the ongoing education of clinicians as well as their patients.

Patient Education Brochures & FAQ Pamphlet



Cosmetic
Eye Surgery
CC09076A
(50 pcs)
(4 Page)



Facial Veins
CC09116A
(50 pcs)
(4 Page)



Pellevé
Patient Ed
CC09107B
(50 pcs)
(8 Page)



Remove
Unsightly
Skin
CC09025
(50 pcs)
(4 Page)



Treatment
of Snoring
CC01002A
(50 pcs)
(4 Page)

Textbooks



Minor Surgery
H202A
A Text & Atlas
4th Edition,
by John Stuart Brown



Procedures for
Primary Care
2nd Edition
H208
by Drs. John L.
Pfenninger and
Grant C. Fowler



Eyelid
Tumors
H207
by Jay Justin
Older, MD

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

SMOKE EVACUATION SYSTEM

Device/Accessories



Cart

H157

The elegantly designed H157 Cart includes 2 shelves for accessories, a gooseneck flexible arm, and a convenient front handle for micro positioning. Four rugged caster wheels ensure easy mobility from room to room.

(Shown with Pelleve™ S5 RF Generator, Surg-e-Vac™, and accessories.-Not included)

NOTE: H157 Cart not compatible with AcuSect, Radiolase or EMC generators.



Patented Surg-e-Vac™

SVD110 Surg-e-Vac™ (for 110v countries)

SVD220EU Surg-e-Vac™ (for 220v countries)



SurgiCart™

H156

SurgiCart™ III with extended base, instrument tray with gooseneck arm, adjustable height. (Shown with Surgitron EMC RF Generator and accessories.-Not included)



Vac Assist Stand

VW133

The Surg-e-Vac™ Smoke Evacuation System has been designed with a high suction, high flow rate centrifugal action pump. The ultra-quiet motor is used to draw the surgical smoke from the surgical site through the vacuum tubing and into the Quad Filter™ where the surgical smoke is processed by a series of filters.

NOTE: H156 not compatible with S5 generators.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

SMOKE EVACUATION SYSTEM

Accessories

Surg-e-Vac™ Accessories

The accessories below are used only for Surg-e-Vac™

Surg-e-Vac™
Quadration
Filter
SVF1 (3 pcs)
SVXF1 (12 pcs)



Pneumatic
Footswitch
SVFSC
(10-1/2 Ft. Cable)
(1 pc)



For both Surg-e-Vac™ and Vapor-Vac II™ Accessories

Plastic Hose
VV148 or VV127
Reusable
7/8" diameter
(1 pc)



Speculum Tubing
Reducing Package
VV130 includes
(2 pcs) VV128
(2 pcs) VV129



Saf-T-Wand
VV140
(10 pcs)



Speculum Tubing
Reducer Fitting
VV129
(2 pcs)



Speculum Tubing
VV128
1/4" Autoclavable
(2 pcs)




External Tube
VV121
(3 pcs)



Vapor-Vac II™ Accessories

These accessories below are used only for Vapor-Vac II™

Charcoal
Filter
VC123
(2 pcs)



External
Filter
VF124
(10 pcs)




Saf-T-Wand
Filter Set
VV146
(25 pcs)



Disposable
External Filter
VV139
(25 pcs)



Vapor-Vac™
Wand Clip
VV131
(1 pc)



For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

MULTI-SPECIALTY ACCESSORIES

Accessories

Medi-Frig™

Portable Cryosurgery Skin Refrigerant

H11B

1 280g. can, 10 Straw Applicators

XH11B

6 cans, 60 Straw Applicators

H11BCS

25 cans, 250 Straw Applicators




Medi-Frig™ is a portable, hand-held, cryosurgical spray unit containing tetrafluoroethane (-54°C).

The **ellman**® cryosurgical spray is safe, storable, easily transportable and cost-effective compared to traditional liquid nitrogen. An added advantage is that it is nonflammable and can be used in conjunction with radiosurgical, electro-surgical and laser procedures.

Wipe-Its™

H19

Pressure sensitive sandpaper pads used to clean radiosurgical electrode tips (4 pcs)



Wipe-Its™ are easy to use, for effortless removal of tissue from radiosurgery tips.

MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology



3" Length Handpiece with Patented Locking Chuck

IEC-XLP1

Reusable

For Surgitron® 4.0 Dual RF™ and Radiolase® II Devices
3" Length, Accepts 1/16" and 3/32" shaft, procedures for
Laparoscopy and Micro-Larynx (2 pcs)

XLP1

Reusable

For the EMC Device
3" Length, Accepts 1/16" and 3/32" shaft, for
Laparoscopy and Micro-Larynx procedures (2 pcs)




Micro-Larynx™ RF Probes

IEC-EE275A

Reusable

For Surgitron® 4.0 Dual RF™ and Radiolase® II Devices
1/16" shaft, 240mm long, (3 pcs)




Magnified view

Loop

EE276

1/16" shaft, 240mm long
(1 pc)




Magnified view

Needle

EE277

1/16" shaft, 240mm long
(1 pc)



Magnified view

Ball

EE278A

1/16" shaft, 240mm long
(1 pc)

Patented Micro Fibre® Electrode

XMF-A

Sterile/Single-Use

Monopolar Wire

600mm Length (1mm O.D.)

for endoscopic procedures,

Attaches to Quick-Connect™ Cable (3 pcs)



Magnified view



The Patented Micro-Larynx™ Probe allows quick and efficient coagulation, and can be used for Granulomas, Papillomatosis, Cyst Biopsies, Vocal Cord Polyps, Posterior Cordectomy, Glottic and Sub-glottic Angiomas, Laryngeal Tumor and Laryngeal Biopsies.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

Otorhinolaryngology

OTO-RAM™ Radiofrequency Assisted Myringotomy Set

IEC-EE600

Reusable


Two 4" tubes, 1.5mm and 2.0mm and one Myringotomy Handpiece

IEC-H604

Reusable

RF Assisted Myringotomy Handpiece (1 pc)

The OTO-RAM™ allows for an effective treatment where office or clinical procedures take place in only a few minutes. Costs for OR Surgery and extensive use of antibiotics and general anesthesia are greatly reduced. The OTO-RAM™ is cost effective compared to laser assisted myringotomy.



2mm hole



2mm hole
Tympanic membrane

Patented OTO-RAM™ Probes

EE601

Reusable

1.5mm Orifice
(1 pc)

EE602

Reusable

2.0mm Orifice
(1 pc)



OTO-Ram
Probe Tip

Patented RF Myringotomy Electrode™

TEE230

Reusable


Insulated 1cm and exposed 1cm
(2 pcs)



Quick-Connect™ Cable

Reusable

Proximal cable for Micro Fibre® System.
See page 11 for ordering information



MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology

Clear-Vu® Bayonet Electrodes

Sterile/Single-Use, (13cm Long Shaft), (1 pc)
1/16" shaft size, 3/32" shaft size available, order with a "Q" prefix



Bayonet RF Turbinate Volume Reduction Electrode™

Reusable
Bipolar Turbinate Probe and cord (1 pc)
Tips Insulated 1cm and Exposed 1cm

IEC-I6D

For Surgitron® 4.0 Dual RF™ and Radiolase® II Devices

I6/JXE

For EMC Device



The bayonet design of Clear-Vu® Electrodes provides access to the surgical environment for precise tissue interaction while maintaining a 'clear view' during the procedure.

The assorted tip configurations allows for precise surgical treatment.



The Bayonet Turbinate Electrode and Bipolar Handpiece design includes a pencil grip for easy handling with a bayonet needle for easy intranasal visualization during surgery.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology

Patented RAUP Electrode™

H81A1

Sterile/Single-Use
RAUP Radiosurgically Assisted
Uvulopalatoplasty
(2 pcs)




Uvulopalatoplasty (RAUP)


Sub-Mucosal VTR (UPP) Electrode

TEE229A

Sterile/Single-Use
For volumetric reduction
of redundant tissue
(2 pcs)



Magnified view




Submucosal Stiffening

Patented Tongue Base Reduction Electrode™

TEE605

Sterile/Single-Use,
For volumetric reduction
of redundant tissue
(2 pcs)



Magnified view



Tongue Base Procedure

Adenoid RF Electrode™

TEE228

Reusable
1/4" Triangle, 4" Length, Teflon Insulated
(2 pcs)



HLTZ Tonsillotomy Electrode™

TEE284

Reusable
.010 Wire, 15mm Loop
(2 pcs)



For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology



Patented RF Suction Adenoid Probes

IEC-H85

Reusable

Set of 3 Probes, Quick-Connect™ Cable, and Cleaning Brush



IEC-H86 Small Probe
9mm with Quick-Connect™ Cable, (1 pc)



IEC-H87 Medium Probe
15mm with Quick-Connect™ Cable, (1 pc)



IEC-H88 Large Probe
19mm with Quick-Connect™ Cable, (1 pc)


Cleaning Brush for Suction Probe

H89

(3 pcs)



Magnified view



Patented Suction Tonsillectomy Probe™ and Quick-Connect™ Cable

IEC-H83/SP

Reusable

For Surgitron® 4.0 Dual RF™ and Radiolase® II Devices

H83/SP

For EMC Device



Patented RF Bipolar Tonsil Reduction Probe™ and Quick-Connect™ Cable

IEC-H84

Reusable

For Surgitron® 4.0 Dual RF™ and Radiolase® II Devices

H84

For EMC Device



For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology


Patented RF Suction Coagulator™

HD41

Sterile/Single-Use

For use with Quick-Connect™ Cable, (12 pcs)

(see page 11 for Quick-Connect™ Cable)



Magnified view




Patented RF Angled Suction Coagulator™

HD42

Sterile/Single-Use

For use with Quick-Connect™ Cable, (12 pcs)

(see page 11 for Quick-Connect™ Cable)



Magnified view



Patented Suction Coagulation Kit

Reusable

IEC-H40

Shipped with three 3" and three 6" tubes
For Surgitron® 4.0 Dual RF™ and Radiolase® II
Devices. Includes 1/16", 3/32" and 1/8" Orifice sizes

H40

Shipped with three 3" and three 6" tubes
For EMC Device. Includes 1/16", 3/32"
and 1/8" Orifice sizes



Stylus Round Wire

H44 Suction Tube 6" Long, 1/16" Orifice

H45 Suction Tube 6" Long, 3/32" Orifice

H46 Suction Tube 6" Long, 1/8" Orifice

H47 Suction Tube 3-3/4" Long, 1/16" Orifice

H48 Suction Tube 3-3/4" Long, 3/32" Orifice

H49 Suction Tube 3-3/4" Long, 1/8" Orifice

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be


MULTI-SPECIALTY ACCESSORIES

Otorhinolaryngology

RF Assisted Tonsillotomy (RAT) Ball Electrodes™

EE264 Set of 3
Reusable


TEE261 2.0mm Ball 4" long (2 pcs)



Magnified view




TEE262 2.36mm Ball 4" long (2 pcs)



Magnified view



TEE263 3.17mm Ball 4" long (2 pcs)




Magnified view



Cryptolysis Electrode

TE1022B
Reusable
(2 pcs)



An RF cryptolysis probe comprises a generally elongated insulated structure leading to a distal end that is angled downward and terminates in a narrow tip that is exposed. The exposed tip is inserted into tonsillar crypts and activated.

Polyp Snare™ System for Nasal Polyps

IEC-H301
Reusable

For Surgitron® 4.0 Dual RF™ and Radiolase® II Devices
with Snare Cable and 3 wires


H301

For EMC Device
with Snare Cable and 3 wires

H7A Snare Wires
6 wires

H7B Snare Cable
For EMC Device (1 pc)

IEC-H7B Snare Cable
For Surgitron® 4.0 Dual RF™ and Radiolase® II
Devices (1 pc)



The Ball Tonsil Probe is an advancement over the traditional tonsillotomy. The RAT procedure permits controlled reduction of the tonsil without excessive thermal damage or blood loss.



Cryptolysis

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

MULTI-SPECIALTY ACCESSORIES

General Surgery/Proctology

Patented RF Laparoscopic Handpiece


IEC-XLP1

Reusable

3" Length Handpiece.

Accepts 1/16" and 3/32" shafts


For Surgitron® 4.0 Dual RF™ and Radiolase® II Devices
(1 pc)



Patented RF Laparoscopic Electrodes™

Reusable

Lap-Trode Individual Electrodes, 37.5mm Length Electrodes, 1/16" Shaft



Magnified view

L3 2mm Ball Lap-Trode



Magnified view

L4 9.5mm Needle Lap-Trode



Magnified view

L5 2.3mm Hook Lap-Trode



Magnified view

L6 2.3mm Blade Lap-Trode



Magnified view

L8 Hook Needle Lap-Trode



Patented RF Laparoscopic Electrodes™ Set

L7

Reusable

Lap-Trode Set of 5 Assortment, (L3, L4, L5, L6, L7, L8) 37.5mm Length Electrodes, 1/16" Shaft

MULTI-SPECIALTY ACCESSORIES

Gynecology

LLETZ Electrodes Assortment Set

- W4** One of each in 5 styles, reusable (5 pcs)
- W4D** One of each in 5 styles, Sterile/Single-Use (5 pcs)

LLETZ Individual Electrodes

Available in 1/16" or 3/32"

Use "Q" as a prefix when ordering 3/32" shaft size

Use "D" as a suffix when ordering Sterile/Single-Use Versions of the LLETZ loop electrodes.

- W1** 15mm x 10mm Loop, reusable (1 pc)
- W1D** 15mm x 10mm Loop, Sterile/Single-Use (5 pcs)
- W2** 20mm x 10mm Loop, reusable (1 pc)
- W2D** 20mm x 10mm Loop, Sterile/Single-Use (5 pcs)
- W3** 25mm x 10mm Loop, reusable (1 pc)
- W3D** 25mm x 10mm Loop, Sterile/Single-Use (5 pcs)
- F2** Endo-Cervical Box 8mm x 11mm Box, reusable (1 pc)
- F2D** Endo-Cervical Box 8mm x 11mm Box, Sterile/Single-Use (5 pcs)
- W18** 5mm Ball, reusable (1 pc)
- W18D** 5mm Ball, Sterile/Single-Use (5 pcs)



Conization Electrode™

Reusable

- G1** Conization Electrode
- G1/4** 4" long, Rotated at 360° to provide a cone shaped specimen







Standard Electrode Set

- S10B/4** 4" shaft length, (7pcs) see page 33 for more information

External Genital Lesion RF Electrodes™

Reusable

- W15** Complete Set of Genital Lesion Electrode set of 4, includes W16, W17, W18 and W19 Electrodes

- W16** 90mm Length, Angled Box 
- W17** 4mm Length, Box 
- W18** 90mm Length, 5mm Ball 
- W19** 90mm Length, 3/8" Needle 

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

The **ellman**® LLETZ loop electrodes are used for the diagnosis and treatment of cervical intraepithelial neoplasia (CIN) and dysplasia.

Gynecology

LLETZ Bayonet Electrodes

- W35** LLETZ Bayonet Electrode Set (5 pcs)
Reusable. Use "D" as a suffix when ordering Sterile/Single-Use
- W35D** Sterile/Single-Use (5 pcs)
- W32** Reusable
Bayonet, 25mm Loop (1 pc)
- W32D** Sterile/Single-Use (5 pcs)
- W31** Reusable
Bayonet, 20mm Loop (1 pc)
- W31D** Sterile/Single-Use (5 pcs)
- W30** Reusable
Bayonet, 15mm Loop (1 pc)
- W30D** Sterile/Single-Use (5 pcs)
- W34** Reusable
Bayonette, 5mm Ball (1 pc)
- W34D** Sterile/Single-Use (5 pcs)
- W33** Reusable
Endo-Cervical Bayonet,
8mm Box (1 pc)
- W33D** Sterile/Single-Use (5 pcs)



Vaginal Speculums


- H55** Vaginal Speculum - Large, 5" Length
- H57** Vaginal Speculum - Standard, 4 1/2" Length
- H58** Vaginal Speculum (2 pcs - Large and Standard)



Stylus

Vaginal Lateral Wall Retractor

H69



Monse's Solution

H90

500 ml (Ferric Subsulfate) Post-Operative Medicament



Needle Extender/Measured Dose Syringe


H71



Plastic Surgery

Patented Javate/Khan RF Endoscopic Forehead Suction Probe™

Reusable



Javate/Khan Endo Forehead Suction Set

IEC-EE260

Reusable

Includes 2 probes, one Spade, one Scalpel with Suction Handpiece and Cable for Surgitron® 4.0 Dual RF™ and Radiolase® II Devices

EE260

For EMC Device




The Javate/Khan Endoscopic Forehead Suction Probe™ utilizes a combination of suction and radiofrequency cutting.

Javate/Khan Coated Flat Scalpel Suction Probe

EE257

Reusable

7/16" Tip Diameter (1 pc)



Magnified view




Javate/Khan Coated Spade Suction Probe

EE258

Reusable

7/16" Tip Diameter (1 pc)



Magnified view



For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

MULTI-SPECIALTY ACCESSORIES

Plastic Surgery

Patented Dr. Constantin Stan Monopolar Forceps



Micro Stan RF™ Forceps

IEC-MJ21

Reusable

Suggested for Blepharoplasty and Facelift procedures


3.5" Length

Includes Quick-Connect™ Cable and Video CD

For use with Surgitron® 4.0 Dual RF™ Device

MJ21

For EMC Device



Magnified view



Mini Mono Stan RF™ Forceps

IEC-MJ11/M

Reusable

Monopolar Forceps with Cutting, Coagulation, Irrigation and Suction Port

Suggested for Facelifts


4.875" Length

Includes Quick-Connect™ Cable and Video CD


For use with Surgitron® 4.0 Dual RF™ Device

MJ11/M

For EMC Device



Magnified view



Mono Stan RF™ Forceps

IEC-MJ11

Reusable

Monopolar Forceps with Cutting, Coagulation, Irrigation and Suction Port

Suggested for Breast Augmentation Procedures

6.125" Length

Includes Quick-Connect™ Cable and Video CD

For use with Surgitron® 4.0 Dual RF™ Device

MJ11

For EMC Device

The **ellman**® Micro, Mini and Mono Stan Forceps simultaneously dissect and coagulate tissues using the 4.0 MHz radiofrequency.



Facelift

The insides of tips on the Mini Mono and Mono Stan Forceps are serrated.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

MULTI-SPECIALTY ACCESSORIES

Dermatology

Cosmetic Treatment Package

For treating telangiectasia and epilation of hair follicles

H135A For EMC Device

IEC-H135A For S5, Surgitron® Dual RF™, AcuSect™ and Radiolase® II Devices

Package Includes: One MicroInsulated Needle Handpiece, 50 MicroInsulated Sterile Needles and 50 Patient Education Brochures




XH136 MicroInsulated Needle Handpiece™ For EMC Device (2 pcs)

IEC-XH136 MicroInsulated Needle Handpiece™ For Surgitron® 4.0 Dual™ Devices (2 pcs)

H137 MicroInsulated Sterile Needles (50 pcs)

H1375 MicroInsulated Sterile Needles bulk pkg (250 pcs)

CC09116A Patient Education Brochure: FAQ's Facial Veins (50 pcs)



Dermatology Electrode Assortment Set

DDERM40

Assorted, Sterile/Single-Use Electrodes, 1/16" shaft (4 electrode styles)



Patented Insulated Sclerotherapy™ Needles

D41 27 Gauge, 1" Needle

D42 30 Gauge, 1/2" Needle

D43 Insulated Sclerotherapy Needle Set, 27-Gauge and 30-Gauge (2 pcs, one of each)



Rhinophyma Electrode Set see page 30

Corneal Shields™ see page 55

Chedly Eyelid Retractor see page 55

For orders and/or pricing information, please contact Marina Nuyts at: +32 473 31 24 28 or marina@archimedes-online.be

The **ellman®** Cosmetic Treatment Package is an effective, comfortable way to remove small unsightly "spider veins" with minimal recovery time, minimal scarring and immediate improvement in appearance.

With the advent of **ellman®** radiowave sclerotherapy, many small facial veins can now be treated without surgery or injections.¹



Telangiectasia Before



Telangiectasia After

1. Pfenninger, J et al, Procedures for Primary Care (2003); second Edition, p221

Pellevé™ Wrinkle Reduction System

GlideSafe™ Handpieces

P275HPDU GlideSafe™ 7.5mm Wrinkle Treatment Handpiece†*
(3 pcs) and Cable (1 pc); Fixed-Life Reusable




P210HPDU GlideSafe™ 10mm Wrinkle Treatment Handpiece†*
(3 pcs) and Cable (1 pc); Fixed-Life Reusable



P215HPD GlideSafe™ 15mm Wrinkle Treatment Handpiece†*
(3 pcs) and Cable (1 pc); Fixed-Life Reusable



P220HPD GlideSafe™ 20mm Wrinkle Treatment Handpiece†*
(3 pcs) and Cable (1 pc); Fixed-Life Reusable



Magnified 1.5X

† Non-USA Customers: order without the
"U" suffix (e.g.-P215HPD)

P2CBD Pellevé™ Quick-Connect Cable, 2m.
For use with GlideSafe™ Handpieces (6 pcs)



Pellevé™ GlideSafe™ handpieces feature an innovative sensor that will cut energy flow when they sense loss of contact with skin virtually eliminating the risk of stocking so it's more comfortable than ever for patients.

They are available in 4 sizes (7.5mm, 10mm, 15mm & 20mm) for efficient treatment of all areas of the face. The compact ergonomic design enables users to comfortably maneuver them around the contours of the face, including small areas difficult to access such as the delicate eye area.

Their fixed-life reusable design offers great value and flexibility to users since handpiece life is only depleted while energy is flowing to the skin, unlike other devices that expire a short time after being initialized.

* GlideSafe™ handpieces Patent Pending

pellevé™
Elegance through science.

For orders and/or pricing information, please call **ellman®** at: (800) 835-5355
For orders and/or pricing information, please contact Marina Nuyts at: **m**
+32 473 31 24 28 or marina@archimedes-online.be

MULTI-SPECIALTY ACCESSORIES

Ophthalmology/Oculoplastics

Goisis RF Elevator ACe-Tip™

GE1

Reusable
(1 pc)



Patented RF Wedge Resection Electrode Set™

EE255

Reusable
(set of three)

Patented RF Wedge Resection Electrode

TEE237 1/4" tip (2 pcs)



TEE236 3/16" tip (2 pcs)



TEE235 1/8" tip (2 pcs)




Beigi Minimally Invasive Entropion Electrode

TEE603

Sterile/Single-Use
(2 pcs)



Ophthalmic Micro-Dissection Electrodes™



TA10/C1

Reusable. 2" Electrodes
1.5mm of active .004 Wire (2 pcs)

TA10/C2

Reusable. 2" Electrodes
3.0mm of active .004 Wire (2 pcs)

TA10/C3

Reusable. 2" Electrodes
5.0mm of active .004 Wire (2 pcs)

A10

Reusable
Set of two (1.5mm and 3.0mm, .004 Wire - one of each)

Note: Add/OP after the Catalog Number to order 1/2" shorter,
Ophthalmic Micro-Dissection Electrodes™ (Not available for all codes)

Goisis RF Elevator ACe-Tip™

Product Benefits:

- Aesthetic midface lift easily done under local anaesthesia.
- Easier and faster orbital decompression in Basedow disease.
- Easier and faster treatment of orbital and facial traumas.
- Versatility – evisceration of the eye with a single instrument.
 - Conjunctival peritomy
 - Cornea excision
 - Globe content removal and full-thickness sclerotomies.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

MULTI-SPECIALTY ACCESSORIES

Ophthalmology/Oculoplastics

Corneal Shields™

H781

Autoclavable
Assorted Package
one pair each size,
small, medium, large and
1 suction handle



- H75A** Small - Red (1 handle, 2 pair)
- H76A** Medium - Green (1 handle, 2 pair)
- H77A** Large - Blue (1 handle, 2 pair)

- H78A** Suction Handle (2 pcs)
- H78B** Suction Handle (25 pcs)



The **ellman**® Corneal Shield™ tightens the skin to allow for more precise incisions. It is an excellent aid when performing periorbital surgery and aids in the protection from cautery, desiccation, irritation or trauma, during and after surgery of eyelid and orbital regions.

Chedly Eyelid Retractor

H21A

Reusable
(1 pc)



Chedly Punctal Occlusion (CPO) Electrodes

TNAEE330


Reusable set of two ACe-Tip™ Electrodes



Baker Brow Probe

EE279

Reusable
(2 pcs)



Magnified view

The Chedly Eyelid Retractor allows access for oculoplastic procedures i.e. upper and lower blepharoplasty, ptosis, trichiasis and minor eyelid procedures.

For orders and/or pricing information, please contact Marina Nuyts at:
+32 473 31 24 28 or marina@archimedes-online.be

MULTI-SPECIALTY ACCESSORIES

Family Practice/Podiatry



ellman® Digit Tourniquets
H97 ellman® Cots – Small (12 pcs)



H98 ellman® Cots – Medium (12 pcs)



H99 ellman® Cots – Large (12 pcs)

ECOTS- 4 each small, medium and large **ellman®** Cots.



Ingrown Toenail

The **ellman®** radiosurgical nail matrixectomy technique for Ingrown Toenail allows the matrix to be destroyed electrically with a teflon coated electrode, which protects the overlying eponychium.



Patented Insulated Matrixectomy Electrodes™*

H9 Reusable
 Set of 3 electrodes
 1/16" or 3/32" shaft
 Matrixectomy Electrode Set
 Includes one each of: H10D, H10E, H10A



H10D 2mm Matrix Electrodes
 Reusable (2 pc)



H10E 4mm Matrix Spicule Electrodes
 Reusable (2 pc)



H10A Matrix Spicule (Ball) Electrode
 Reusable (1 pc)



Patented Standard Podiatry Electrode Set*

S11B Reusable
 1/16" or 3/32" shaft
 Includes one each of: D8, A3, B4, B5, F1, A8
 (6 pcs)



*Electrodes are displayed in actual size.

For orders and/or pricing information, please contact Marina Nuyts at:
 +32 473 31 24 28 or marina@archimedes-online.be

INDEX

Accessories	36	Reusable Electrodes Sets	32	IEC Disposable Neutral	
Educational Accessories	35	Assorted Ball Electrode Set	33	Plate-Small Size	9
<i>(Educational Materials)</i>		Assorted Diamond Loop		IEC Disposable Neutral	
Compact Discs		Electrode Set	33	Plate-Standard Size	9
Oculoplastic Techniques		Assorted Needle Electrode Set	32	Pellevé Wrinkle Reduction	52
Patient Educational Brochures		Assorted Oval Loop Electrode Set	33	System	
Textbooks		Electrode Set	32	GlideSafe™ Handpieces	
Device/Accessories	36	Assorted Triangle Loops	33	Pellevé™ Quick-Connect Cable	
<i>(Smoke Evacuation System)</i>		Electrode Set	32	Ophthalmology/Oculoplastics	53
Cart		Rodin® Microsurgery ACe-Tip™	32	Baker Brow Probe	54
SugiCart™		Electrode Set	32	Beigi Minimally Invasive	
Surg-e-Vac™		Standard Electrode Set	32	Entropion Electrode	53
Vac Assist Stand		Energy Sources	5	Chedly Eyelid Retractor	54
Accessories	37	Pellevé™ S5	5	Chedly Pucntal Occlusion (CPO)	
<i>(Smoke Evacuation System)</i>		Surgitron® Dual RF™ S5	6	Electrodes	54
Surg-e-Vac™ Accessories		Surgitron® Dual RF™	7	Corneal Shields™	54
For both Surg-e-Vac™ and		AcuSect™	8	Goisif RF Elevator ACe-Tip™	53
Vapor-Vac II™ Accessories		Surgitron® FFPF EMC	8	Ophthalmic Micro-Dissection	
Accessories	38	Family Practice/Podiatry	55	Electrodes™	53
<i>(Multi-Specialty Accessories)</i>		ellman® Digit Tourniquets	55	Patented RF Wedge Resection	
Medi-Frig™		Patented Insulated Matrixectomy	55	Electrode	53
Wipe-Its™		Electrodes™	55	Patented RF Wedge Resection	
ACe-Tip™ Low-Stick Forceps	20-21	Patented Standard Podiatry		Electrode Set™	53
Adapters For Surgitron® EMC	13	Electrode Set	55	Otorhinolaryngology	39
Bipolar Converter Steri Caps™	14	Footswitches	10	3" Length Handpiece with	
EMC Steri Caps™	14	Dual Frequency Footswitch and		Patented Locking Chuck	39
Patented 1-Button Fingerswitch		Cable Pneumatic Footswitch	10	Adenoid RF Electrode™	42
Handpiece with Locking Chuck	13	Radiolase I Footswitch and Cable	10	Bayonet RF Turbinate Volume	
Patented Bipolar Converter	14	Radiolase II Monopolar/Bipolar		Reduction Electrode™	41
Universal Fingerswitch Adapter	13	Footswitch	10	Cleaning Brush for Suction Probe	43
Wall Bracket	14	General Surgery/Proctology	46	Clear-Vu® Bayonet Electrodes	41
Bayonet Bipolar Forceps	19	Patented RF Laparoscopic		Cryptolysis Electrode	45
Bipolar Forceps	17-18	Electrodes™	46	HLTZ Tonsillotomy Electrode™	42
Cables	11	Patented RF Laparoscopic		Micro-Larynx™ RF Probes	39
Bipolar Cable	11	Handpiece	46	OTO-RAM™ Radiofrequency	
Lap/Endo Monopolar Cable	11	Gynecology	47	Assisted Myringotomy Set	40
Snare Cable	11	Conization Electrode™	47	Patented Micro Fibre® Electrode	39
Quick-Connect™ Cable	11	External Genital Lesion		Patented OTO-RAM™ Probes	40
Dermatology	51	RF Electrodes™	47	Patented RAUP Electrode™	42
Cosmetic Treatment Package	51	LLETZ Bayonet Electrodes	48	Patented RF Angled Suction	
Dermatology Electrode		LLETZ Electrodes Assortment Set	47	Coagulator™	44
Assortment Set	51	LLETZ Individual Electrodes	47	Patented RF Bipolar Tonsil	
Patented Insulated		Monsel's Solution	48	Reduction Probe™ and	
Sclerotherapy™ Needles	51	Needle Extender/Measured		Quick-Connect™ Cable	43
Electrodes	22	Dose Syringe	48	Patented RF Myringotomy	
Electrodes Accessories	34	Vaginal Lateral Wall Retractor	48	Electrode™	40
Sterile/Single-Use	23	Vaginal Speculums	48	Patented RF Suction	
Empire microIncision™		Handpieces	15	Coagulator™	44
Needle Electrodes	24-25	Blade Handpiece with		Patented Suction Coagulation Kit	44
Medical Electrode Set	23	Locking Chuck	16	Patented Suction Tonsillectomy	
Reusable Electrodes	26	Foot-Controlled Handpiece with		Probe™ and	
ACe-Tip™		Locking Chuck	16	Quick-Connect™ Cable	43
Advanced Composition Alloy	31	microInsulated Needle Handpiece		Patented Tongue Base Reduction	
Ball Electrodes	28	with Locking Chuck	16	Electrode™	42
Chedly Puctal Occlusion (CPO)		One-Button Fingerswitch		Polyp Snare™ System for Nasal	
Electrodes	31	Handpiece	16	Polyps	45
Diamond Loop Electrodes	27	Patented 1-Button Fingerswitch		Quick-Connect™ Cable	39
Empire® MicroTip Electrodes	29	Handpiece with Locking Chuck	15	RF Assisted Tonsillotomy (RAT)	
Insulated Needle Electrodes™	29	Patented 3-Button Fingerswitch		Ball Electrodes™	45
Javate Endoscopic DCR		Blade Handpiece with		Sub-Mucosal VTR (UPP)	
Electrodes	30	Locking Chuck	15	Electrode	42
Needle Electrodes	26	Patented 3-Button Fingerswitch		Plastic Surgery	49
Oval Loop Electrodes	28	Handpiece with		Javate/Khan Coated Flat Scalpel	49
Radiosurgical Mucotome		Locking Chuck	15	Javate/Khan Coated Spade	49
Electrodes	30	Patented Sterile 3-Button		Javate/Khan Endo Forehead	
Rhinophyma Electrode Set	29	Fingerswitch Handpiece		Suction Set	49
Round Loop Electrodes	26	with Locking Chuck	15	Micro Stan RF™ Forceps	50
Scalpel Electrode	29	Rodin® Microsurgery Handpiece	16	Mini Mono Stan RF™ Forceps	50
Triangle Loop Electrodes	27	Neutral Plates	9	Mono Stan RF™ Forceps	50
		EMC Neutral Plate	9	Surg-e-Doc™	12
		IEC Neutral Plate	9		

ellman®

Experts in Precision Surgery.

Established in 1959



ellman® International, Inc.

3333 Royal Avenue, Oceanside, N.Y. 11572-3625 U.S.A.
(800) 835-5355 • (516) 594-3333 • Fax: (516) 569-0054
www.ellman.com

CC09003 Rev F1

Copyright 2011 ellman® International, Inc. All Rights Reserved.



Note: Do not copy or distribute without written authorization from Ellman International Inc.